

M.M.S. Medical Management Services Ltd.

PRINSEL.INI

The prinsel.ini or *printer select initialization file* is used to designate the printer that a document is to be printed on. Labels are often printed on a different printer from normal sheet type reports. Rather than having the computer operator select the printer to print on, this file automatically selects it.

Printer Descriptions:

The printers to be used are listed first. Each listing is comprised of two parts. The first part designates an acronym that Ezbill uses to designate a printer. The second part is a description of the printer as listed in the computer.

The example below illustrates the way printers are listed in the prinsel.ini file when the operating system used by the computer is Windows 95/98/Me or when the printer is a local printer on a computer using Windows NT/2000/XP.

[PRINTER.HP1] – “PRINTER” informs the system that it is a printer that is being described. “HP1” is the acronym assigned the printer. This acronym must be 3 characters in length. “HP LaserJet 1100” is the name of the printer as listed in the computer under printers. Please note that the description must be exactly the same as it is listed in the computer. This description is case sensitive.

The last printer described in the list of printers is the default printer. If the system cannot find the printer designed, it will cease to look any further for the printer and print to the default printer. The default printer, therefore, must be listed last in the printer list.

```
[PRINTER.HP1] HP LaserJet 1100  
[PRINTER.SLP] Smart Label Printer  
[PRINTER.DEF] HP LaserJet 1100
```

When using a computer that is running Windows NT/2000/XP and the printer to be used is a network printer then the printer name must be listed as a network path using the printers share name. In the example below, both printers are local on Computer1. They are shared with Computer2 which is running Windows NT/2000/XP. The share name of the “HP LaserJet 1100” is “SHAREHP”. The share name of the “Smart Label Printer” is SHARESLP.

```
[PRINTER.HP1] HP LaserJet 1100  
[PRINTER.HP2] \\Computer1\SHAREHP  
[PRINTER.SLP] Smart Label Printer  
[PRINTER.SL2] \\Computer1\SHARESLP  
[PRINTER.DEF] HP LaserJet 1100
```

Computer Descriptions:

The second section of the file lists all of the computers on a network. Each listing is comprised of two parts. The first part, always “[MACHINE]”, stipulates that the description that immediately follows is the name of a computer on the network. So in our example below “Computer1” and “Computer2” are the names two computers on a network. “DEF” as designated in the last item listed, is used as a default if the system cannot find the computers listed on the network. The default must be the last “machine” listed.

```
[MACHINE] Computer1  
[MACHINE] Computer2  
[MACHINE] DEF
```

Designating the Destination Printer for Reports to be Printed :

In this section, reports are listed by each computer. Each listing is comprised of four parts. The first part “[MACHINE.Computer1]” designates the computer from which the report is being printed. The second part “CHART132” designates the report that is to be printed. Third is the printer acronym “HP1” used to describe the printer to which the report is to be printed. The last part of the listing stipulates the font size to be used when printing. Fonts and the font sizes are stipulated in a later part of the file.

* Computer1

```
[MACHINE.Computer1] CHART132 .HP1.W132.1  
[MACHINE.Computer1] BILLING80 .HP1.W 80.1  
[MACHINE.Computer1] BILLING132.HP1.W132.1  
[MACHINE.Computer1] W80 .HP1.W 80.1  
[MACHINE.Computer1] CHART80 .HP1.W 80.1  
[MACHINE.Computer1] W132 .HP1.W132.1  
[MACHINE.Computer1] REFLIST .HP1.W132.1  
[MACHINE.Computer1] CLMSUBL .HP1.W132.1  
  
[MACHINE.Computer1] RECONMAN .HP1.W132.1  
[MACHINE.Computer1] RECONCOM .HP1.W132.1  
[MACHINE.Computer1] RECONSUM .HP1.W132.1  
  
[MACHINE.Computer1] STATSSER .HP1.W132.1  
[MACHINE.Computer1] STATSWEK .HP1.W 80.1  
[MACHINE.Computer1] STATSFAC .HP1.W132.1  
[MACHINE.Computer1] STATSEXP .HP1.W132.1  
[MACHINE.Computer1] STATSREF .HP1.W132.1  
  
[MACHINE.Computer1] ASSESDET .HP1.W132.1  
[MACHINE.Computer1] ASSESSUM .HP1.W 80.1  
[MACHINE.Computer1] ASSESEXEC .HP1.W132.1  
  
[MACHINE.Computer1] OSCLMDET .HP1.W132.1  
[MACHINE.Computer1] OSCLMSUM .HP1.W132.1  
[MACHINE.Computer1] OSCLM90 .HP1.W132.1
```

[MACHINE.Computer1] SUBMIT .HP1.W132.1
[MACHINE.Computer1] FORM1 .SLP.FORM1.1
[MACHINE.Computer1] FORM2 .SLP.FORM2.1
[MACHINE.Computer1] FORM3 .HP1.FORM3.1
[MACHINE.Computer1] DEF .HP1.W 80.1

*** Computer2**

[MACHINE.Computer2] CHART132 .HP2.W132.1
[MACHINE.Computer2] BILLING80 .HP2.W 80.1
[MACHINE.Computer2] BILLING132.HP2.W132.1
[MACHINE.Computer2] W80 .HP2.W 80.1
[MACHINE.Computer2] CHART80 .HP2.W 80.1
[MACHINE.Computer2] W132 .HP2.W132.1
[MACHINE.Computer2] REFLIST .HP2.W132.1
[MACHINE.Computer2] CLMSUBL .HP2.W132.1

[MACHINE.Computer2] RECONMAN .HP2.W132.1
[MACHINE.Computer2] RECONCOM .HP2.W132.1
[MACHINE.Computer2] RECONSUM .HP2.W132.1

[MACHINE.Computer2] STATSSER .HP2.W132.1
[MACHINE.Computer2] STATSWEK .HP2.W 80.1
[MACHINE.Computer2] STATSFAC .HP2.W132.1
[MACHINE.Computer2] STATSEXP .HP2.W132.1
[MACHINE.Computer2] STATSREF .HP2.W132.1

[MACHINE.Computer2] ASSESDET .HP2.W132.1
[MACHINE.Computer2] ASSESSUM .HP2.W 80.1
[MACHINE.Computer2] ASSESEXEC .HP2.W132.1

[MACHINE.Computer2] OSCLMDET .HP2.W132.1
[MACHINE.Computer2] OSCLMSUM .HP2.W132.1
[MACHINE.Computer2] OSCLM90 .HP2.W132.1

[MACHINE.Computer2] SUBMIT .HP2.W132.1
[MACHINE.Computer2] FORM1 .SL2.FORM1.1
[MACHINE.Computer2] FORM2 .SL2.FORM2.1
[MACHINE.Computer2] FORM3 .HP2.FORM3.1
[MACHINE.Computer2] DEF .HP2.W 80.1

*** Default**

[MACHINE.DEF] CHART132 .HP1.W132.1
[MACHINE.DEF] BILLING80 .HP1.W 80.1
[MACHINE.DEF] BILLING132.HP1.W132.1
[MACHINE.DEF] W80 .HP1.W 80.1
[MACHINE.DEF] CHART80 .HP1.W 80.1
[MACHINE.DEF] W132 .HP1.W132.1
[MACHINE.DEF] REFLIST .HP1.W132.1
[MACHINE.DEF] CLMSUBL .HP1.W132.1

[MACHINE.DEF] RECONMAN .HP1.W132.1
[MACHINE.DEF] RECONCOM .HP1.W132.1
[MACHINE.DEF] RECONSUM .HP1.W132.1

[MACHINE.DEF] STATSSER .HP1.W132.1
[MACHINE.DEF] STATSWEK .HP1.W 80.1
[MACHINE.DEF] STATSFAC .HP1.W132.1
[MACHINE.DEF] STATSEXP .HP1.W132.1
[MACHINE.DEF] STATSREF .HP1.W132.1

[MACHINE.DEF] ASSEDET .HP1.W132.1
[MACHINE.DEF] ASSESSUM .HP1.W 80.1
[MACHINE.DEF] ASSEEXEC .HP1.W132.1

[MACHINE.DEF] OSCLMDET .HP1.W132.1
[MACHINE.DEF] OSCLMSUM .HP1.W132.1
[MACHINE.DEF] OSCLM90 .HP1.W132.1

[MACHINE.DEF] SUBMIT .HP1.W132.1
[MACHINE.DEF] FORM1 .SLP.FORM1.1
[MACHINE.DEF] FORM2 .SLP.FORM2.1
[MACHINE.DEF] FORM3 .HP1.FORM3.1
[MACHINE.DEF] DEF .HP1.W132.1

Designating Fonts and Font Sizes:

Each printer has its own subsection within this section of the file. There are three types of printing done in Ezbill. There are reports generated in regular size print (W80), reports generated in compressed print (W132) and reports that are generated using operator specified fonts and font sizes (FORMS). W80 and W132 are used for printing the standard reports in Ezbill. FORMS are used for printing labels and for other documents produced in the "Document Merge" module in Ezbill.

HP LaserJet 1100 when printing from Computer1

[PSTYLE.HP1] W80.1.font.Courier New	- Font name (must be a mono font)
[PSTYLE.HP1] W80.1.fontsize.11	- Font size (normal size print)
[PSTYLE.HP1] W80.1.plength.64	- Page length (number of lines)
[PSTYLE.HP1] W132.1.font.Courier New	- Font name (must be a mono font)
[PSTYLE.HP1] W132.1.fontsize.7	- Font size (compressed print)
[PSTYLE.HP1] W132.1.plength.98	- font length (number of lines)
[PSTYLE.HP1] FORM3.1.font.Courier New	- Font name (any font)
[PSTYLE.HP1] FORM3.1.fontsize.11	- Font size (any size)
[PSTYLE.HP1] FORM3.1.plength.64	- Page length (number of lines)

HP LaserJet 1100 when printing from Computer2

[PSTYLE.HP2] W80.1.font.Courier New	- Font name (must be a mono font)
[PSTYLE.HP2] W80.1.fontsize.11	- Font size (normal size print)
[PSTYLE.HP2] W80.1.plength.64	- Page length (number of lines)
[PSTYLE.HP2] W132.1.font.Courier New	- Font name (must be a mono font)
[PSTYLE.HP2] W132.1.fontsize.7	- Font size (compressed print)
[PSTYLE.HP2] W132.1.plength.98	- Page length (number of lines)
[PSTYLE.HP2] FORM3.1.font.Courier New	- Font name (any font)
[PSTYLE.HP2] FORM3.1.fontsize.11	- Font size (any size)
[PSTYLE.HP2] FORM3.1.plength.64	- Page length (number of lines)

Smart Label Printer when printing from Computer1

[PSTYLE.SLP] W80.1.font.Courier New	- Font name (must be mono font)
[PSTYLE.SLP] W80.1.fontsize.11	- Font size (normal size print)
[PSTYLE.SLP] W80.1.plength.64	- Page length (number of lines)
[PSTYLE.SLP] W132.1.font.Courier New	- Font name (must be mono font)
[PSTYLE.SLP] W132.1.fontsize.7	- Font size (compressed print)
[PSTYLE.SLP] W132.1.plength.98	- Page length (number of lines)
[PSTYLE.SLP] FORM1.1.font.Courier New	- Font name (any font)
[PSTYLE.SLP] FORM1.1.fontsize.11	- Font size (any size)
[PSTYLE.SLP] FORM1.1.plength.36	- Page length (number of lines)
[PSTYLE.SLP] FORM2.1.font.Courier New	- Font name (any font)
[PSTYLE.SLP] FORM2.1.fontsize.11	- Font size (any size)
[PSTYLE.SLP] FORM2.1.plength.9	- Page length (number of lines)

Smart Label Printer when printing from Computer2

[PSTYLE.SL2] W80.1.font.Courier New	- Font name (must be mono font)
[PSTYLE.SL2] W80.1.fontsize.11	- Font size (normal size print)
[PSTYLE.SL2] W80.1.plength.64	- Page length (number of lines)
[PSTYLE.SL2] W132.1.font.Courier New	- Font name (must be mono font)
[PSTYLE.SL2] W132.1.fontsize.7	- Font size (compressed print)
[PSTYLE.SL2] W132.1.plength.98	- Page length (number of lines)
[PSTYLE.SL2] FORM1.1.font.Courier New	- Font name (any font)
[PSTYLE.SL2] FORM1.1.fontsize.11	- Font size (any size)
[PSTYLE.SL2] FORM1.1.plength.36	- Page length (number of lines)
[PSTYLE.SL2] FORM2.1.font.Courier New	- Font name (any font)
[PSTYLE.SL2] FORM2.1.fontsize.11	- Font size (any size)
[PSTYLE.SL2] FORM2.1.plength.9	- Page length (number of lines)

Default is used when the computer cannot find the printer listed. It must be the last listing in the file.

[PSTYLE.DEF] DEF.1.font.Courier New

- Font name (must be mono font)

[PSTYLE.DEF] DEF.1.fontsize.11

- Font size (normal size)

[PSTYLE.DEF] DEF.1.plength.64

- Page length (number of lines)